

VAPCO PRODUCTS, INC.

Safety Data Sheet Nickel Guard Appliance

SECTION 1: Identification

1.1 GHS Product identifier

Product name

Nickel Guard Appliance

Product number

NGCA-1/2P

Brand

Vapco

1.3 Recommended use of the chemical and restrictions on use

Scale remover

1.4 Supplier's details

Name

Vapco Products, Inc.

Address

401 Marshall Road

Valley Park, Missouri 63088

United States

Telephone

(636) 923-2121

Fax

(636) 923-3002

email

info@VapcoProducts.com

1.5 Emergency phone number

(800) 255-3924

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200, 2024)

- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1B

2.2 GHS label elements, including precautionary statements

Pictograms



Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor if exposed or concerned.

P321 Specific treatment (see First Aid on this label).
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container to the specifications of local, regional,

national, and international regulations.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

1. Phosphoric acid

Concentration 60 - 70 % (weight)

EC no. 231-633-2 CAS no. 7664-38-2 Index no. 015-011-00-6

2. 1,2,3-Propanetricarboxylic acid, 2-hydroxy-

Concentration 1 - 10 % (weight)

EC no. 201-069-1 CAS no. 77-92-9 Index no. 607-750-00-3

3. 1-Propanesulfonic acid, 3-chloro-2-hydroxy-, monosodium salt, reaction products with 2-heptyl-4,5-dihydro-1H-imidazole-1-ethanol

Concentration 1 - 10 % (weight) CAS no. 68610-39-9

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice Never give anything by mouth to an unconscious person. If you feel unwell,

seek medical advice (show the label where possible).

If inhaled First, take proper precautions to ensure your own safety before attempting

rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in

a position comfortable for breathing. Get medical advice/attention.

In case of skin contact Immediately drench affected area with water for at least 15 minutes.

Remove contaminated clothing immediately. Obtain medical attention if

irritation develops or persists.

In case of eye contact Immediately rinse with water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Obtain medical attention

if irritation develops or persists.

If swallowed Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2 Most important symptoms/effects, acute and delayed

Symptoms/Injuries: Harmful if inhaled. Causes serious eye and skin irritation.

Symptoms/Injuries After Skin Contact: Contact causes severe irritation with burns. Dermatitis may occur due to long-term irritation.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of conjunctiva. Contact with gas/liquid escaping the container can cause permanent eye damage.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. Note to physician: The absence of visible signs or symptoms of burns does not reliably exclude the presence of actual tissue damage.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Water spray, fog, carbon dioxide (CO2), alcohol-resistant foam, dry chemical, or sand. Use appropriate media for surrounding fire.

5.2 Specific hazards arising from the chemical

Reactivity: May be corrosive to metals and reactive to strong bases. Increased risk of fire or explosion.

5.3 Special protective actions for fire-fighters

Precautionary Fire Measures: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use dry chemical, foam, or carbon dioxide (CO2). Do not breathe fumes from fire or vapors from decomposition. Do NOT fight fire when fire reaches containers. Evacuate area. Fight fire remotely due to the risk of explosion. Shut off all sources of ignition. Use water spray or fog for cooling exposed containers. **Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. Wear NIOSH-approved Self-Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

Hazardous Combustion Products: Carbon oxide(s), nitrogen oxide(s), phosphorus oxides and metal oxide(s).

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapors, spray, mist, gas. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedure: Eliminate ignition sources first, then ventilate the area. Evacuate unnecessary personnel, isolate, and ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.3 Methods and materials for containment and cleaning up

For Containment: Ventilate the area. Contain any spills with dikes or absorbents to prevent further migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Eliminate all ignition sources. Ventilate area. Stop the ignition source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering. Take up liquid spill into absorbent material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Waste Disposal: Dispose of in accordance with local, regional, national, and international regulations. Containers may be hazardous when empty. Do not flame cut, braze, or weld. Product should be fully characterized prior to disposal (40 CFR 261).

Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Additional Hazards When Processed: Do not pressurize, cut, or weld containers. Do not pierce or burn, even after use.

Precautions for Safe Handling: Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Do not breathe gas, mist, spray, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not spray on open flame or other ignition source.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Other Precautions: Keep out of reach of children. Follow label instructions. Vapors may collect in low lying areas.

7.2 Conditions for safe storage, including any incompatibilities

Technical Measures: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Store in a dry, cool place. Keep only in the original container in a cool, well-ventilated place away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

Incompatible Materials: Strong bases and chemically active metals.

SECTION 8: Exposure controls/personal protection

B.1 Control parameters

1. Phosphoric acid (CAS: 7664-38-2)

TWA (Inhalation): 1 mg/m3; AU (AU/SWA)

STEL (Inhalation): 3 mg/m3; AU (AU/SWA)

IOELV-LTEL [Orthophosphoric acid] (Inhalation): 1 mg/m3; EU (EU/OSHA)

List no. 1 under Council Directive 98/24/EC as amended. List last updated on 8/29/2023,

IOELV-STEL [Orthophosphoric acid] (Inhalation): 2 mg/m3; EU (EU/OSHA)

List no. 1 under Council Directive 98/24/EC as amended. List last updated on 8/29/2023.

PEL (Inhalation): 1 mg/m3; US (US/OSHA) OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 1 mg/m3, (ST) 3 mg/m3; US (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 1 mg/m3, (ST) 3 mg/m3; US (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment. Proper grounding procedures to avoid static electricity should be followed. Use only outdoors or in well-ventilated area. Ensure all local, regional, national, and international regulations are being observed. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

B.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Chemical safety goggles. Insufficient ventilation: wear respiratory protection. Respiratory protection of the dependent type.

Skin protection

Wear protective gloves and clothing.

Body protection

Wear suitable protective clothing. Wear protective gloves. Chemical resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

Respiratory protection

Use a NIOSH-approved Self-Containing Breathing Apparatus whenever exposure may exceed established Occupational Exposure Limits.

SECTION 9: Physical and chemical properties

Basic physical and chemical properties

Physical state Appearance Color Liquid Clear liquid Light amber

Odor

Odor threshold

Melting point/freezing point

Boiling point or initial boiling point and boiling range

Flammability

Lower and upper explosion limit/flammability limit

Flash point

Auto-ignition temperature
Decomposition temperature

рΗ

Kinematic viscosity

Solubility

Partition coefficient n-octanol/water (log value)

Vapor pressure Evaporation rate

Density and/or relative density

Relative vapor density

Acid odor

N/D

<32°F (0°C)

N/D

Not considered a flammable liquid by OSHA (29 CFR

1910.1200)

N/D

N/D

N/D N/D

<1 N/D

Soluble in water

N/D

23.8 mmHg at 77°F (25°C)

<0.8 (Slow)

1.37 at 77°F (25°C)

1 (Air=1)

SECTION 10: Stability and reactivity

10.1 Reactivity

May react with strong bases and chemically active metals.

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

None known.

10.4 Conditions to avoid

Chlorine-liberating material. Do not mix with bases, ammonia, or other cleaning compounds. Direct sunlight, extremely high or low temperatures and incompatible materials.

10.5 Incompatible materials

Strong bases and chemically active metals and oxidizing agents.

10.6 Hazardous decomposition products

Carbon oxide(s), nitrogen oxide(s), phosphorus oxides, and metal oxide(s).

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

1,2,3-Propanetricarboxylic acid, 2-hydroxy-

LD50 Oral - Rat - 5400 mg/kg

LD50 Skin - Rabbit - >2000 mg/kg

Phosphoric acid

LD50 Oral - Rat - >5000 mg/kg

LD50 Skin - Rabbit - 2740 mg/kg

Skin corrosion/irritation

Causes severe burns, prolonged contact will destroy tissue.

Serious eye damage/irritation

Causes severe burns, irritation, redness, tearing, pain, and may result in loss of sight.

Respiratory or skin sensitization

Causes irritation (possible severe), chemical burns, upper respiratory damage, and pulmonary edema.

Germ cell mutagenicity

Not classified.

Carcinogenicity

Not classified.

Reproductive toxicity

Not classified.

Specific target organ toxicity (STOT) - single exposure

Causes severe burns, prolonged contact will destroy tissue.

Specific target organ toxicity (STOT) - repeated exposure

Dermatitis may occur due to long-term irritation. Upper respiratory damage, chemical burns, and pulmonary edema. Potential loss of sight.

Aspiration hazard

Not classified.

Additional information

Medical Condition Aggravated: Asthma, bronchitis, emphysema and other lung diseases and chronic nose, sinus or throat conditions. Skin irritation may be aggravated in individuals with existing skin disorders.

Symptoms/Injuries: Harmful if inhaled. Causes serious eye and skin irritation.

Symptoms/Injuries After Skin Contact: Contact causes severe irritation with burns. Dermatitis may occur due to long-term irritation.

Symptoms/Injuries After Eye Contact: Contact causes severe irritation with redness and swelling of conjunctiva. Contact with gas/liquid escaping the container can cause permanent eye damage.

SECTION 12: Ecological information

Toxicity

1,2,3-Propanetricarboxylic acid, 2-hydroxy-

EC50 - Daphnia magna (water flea) - 1535 mg/l - 24 hrs

LC50 - Leuciscus idus (golden orfe) - 440 mg/l - 48 hrs

Persistence and degradability

This product is biodegradable.

Bioaccumulative potential

This product is not expected to bioaccumulate.

Mobility in soil

This product is mobile in soil.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations. Do not pierce or burn, even after use.

Waste treatment

Check the pH of the waste to be disposed. May be subjected to disposal regulations: U.S. EPA 40 CFR 261. Hazardous waste number(s): D002.

Sewage disposal

Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Other disposal recommendations

Container may remain hazardous when empty. Continue to observe all precautions. Do not puncture or incinerate container. Product should be fully characterized prior to disposal.

SECTION 14: Transport information

DOT (US)

UN Number: UN1805

Class: 8

Packing Group: III

Proper Shipping Name: Phosphoric acid solution

IMDG

UN Number: UN1805

Class: 8

Packing Group: III EMS Number: N/A

Proper Shipping Name: Phosphoric acid solution

IATA

UN Number: UN1805

Class: 8

Packing Group: III

Proper Shipping Name: Phosphoric acid solution

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components (105 CMR 670)

Chemical name: PHOSPHORIC ACID

CAS number: 7664-38-2

Massachusetts Toxic Use Reduction Act (TURA) list

Chemical name: Phosphoric acid

CAS number: 7664-38-2

New Jersey Right To Know Components

Common name: PHOSPHORIC ACID

CAS number: 7664-38-2

Pennsylvania Right To Know Components

Chemical name: PHOSPHORIC ACID

CAS number: 7664-38-2

US EPA TSCA public inventory

Chemical name: Phosphoric acid

CAS number: 7664-38-2

Chemical name: 1,2,3-Propanetricarboxylic acid, 2-hydroxy-

CAS number: 77-92-9

Chemical name: 1-Propanesulfonic acid, 3-chloro-2-hydroxy-, monosodium salt, reaction products with 2-heptyl-4,5-

dihydro-1H-imidazole-1-ethanol CAS number: 68610-39-9

SECTION 16: Other information

N/A = Not applicable; N/D = Not determined

16.1 Further information/disclaimer

To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

16.2 Preparation information

Prepared by: Jessica Wilson Date prepared: 3/19/2025