



**VAPCO PRODUCTS, INC.**

**Safety Data Sheet**  
**1953 Clean & Protect Aerosol**

---

**SECTION 1: Identification**

**1.1 GHS Product identifier**

Product name	1953 Clean & Protect Aerosol
Product number	CP53A-1
Brand	Vapco

**1.3 Recommended use of the chemical and restrictions on use**

Non-foaming, detergent multi-purpose coil cleaner

**1.4 Supplier's details**

Name	Vapco Products, Inc.
Address	401 Marshall Road Valley Park, Missouri 63088 United States
Telephone	(636) 923-2121
Fax	(636) 923-3002
email	info@VapcoProducts.com

**1.5 Emergency phone number**

(800) 255-3924

---

**SECTION 2: Hazard identification**

**2.1 Classification of the substance or mixture**

**GHS classification in accordance with: OSHA (29 CFR 1910.1200, 2024)**

- Gases under pressure, liquefied gas
- Skin corrosion/irritation, Cat. 2

**2.2 GHS label elements, including precautionary statements**

# Safety Data Sheet

## Pictograms



## Signal word

## Warning

## Hazard statement(s)

H280  
H315

Contains gas under pressure; may explode if heated  
Causes skin irritation

## Precautionary statement(s)

P264	Wash hands thoroughly after handling.
P280	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see First Aid on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P410+P403	Protect from sunlight. Store in a well-ventilated place.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

##### 1. Petroleum gases, liquified, sweetened, if they contain > 0.1% w/w Butadiene

Concentration	1 - 10 % (weight)
CAS no.	68476-86-8

##### 2. 2-Butoxyethanol

Concentration	0.1 - 1 % (weight)
EC no.	203-905-0
CAS no.	111-76-2

##### 3. Pentasodium triphosphate

Concentration	0.1 - 1 % (weight)
EC no.	231-838-7
CAS no.	7758-29-4

##### 4. Dodecylbenzenesulfonic acid, sodium salt

Concentration	0.1 - 1 % (weight)
CAS no.	68081-81-2

##### 5. Potassium Hydroxide

Concentration	0.1 - 1 % (weight)
EC no.	215-181-3
CAS no.	1310-58-3
Index no.	019-002-00-8

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

General advice	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
If inhaled	First, take proper precautions to ensure your own safety before attempting rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in a position comfortable for breathing. Get medical advice/attention.
In case of skin contact	Immediately drench affected area with water for at least 15 minutes. Remove contaminated clothing immediately. Obtain medical attention if irritation develops or persists.
In case of eye contact	Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
If swallowed	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2 Most important symptoms/effects, acute and delayed

**Symptoms/Injuries:** Harmful if inhaled. Causes skin irritation.

**Symptoms/Injuries After Skin Contact:** Contact causes severe irritation with burns. Dermatitis may occur due to long-term irritation.

**Symptoms/Injuries After Eye Contact:** Contact causes irritation with redness and swelling of conjunctiva. Contact with gas/liquid escaping the container can cause permanent eye damage.

**Chronic Health Hazards:** Skin disorders, drying and irritation of the skin.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. Note to physician: The absence of visible signs or symptoms of burns does not reliably exclude the presence of actual tissue damage.

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

Water spray, fog, carbon dioxide (CO<sub>2</sub>), alcohol-resistant foam, dry chemical, or sand. Use appropriate media for surrounding fire.

### 5.2 Specific hazards arising from the chemical

**Explosion Hazard:** Container may explode in heat of fire. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.

**Reactivity:** May react with chemically active metals and acids.

### 5.3 Special protective actions for fire-fighters

**Precautionary Fire Measures:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use dry chemical, foam, or carbon dioxide (CO<sub>2</sub>). Do not breathe fumes from fire or vapors from decomposition. Do NOT fight fire when fire reaches containers. Evacuate area. Fight fire remotely due to the risk of explosion. Shut off all sources of ignition. Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory

## Safety Data Sheet

protection. Wear NIOSH-approved Self-Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

**Hazardous Combustion Products:** Carbon, sodium and silicon oxide(s).

### Further information

Do not allow run-off from fire fighting to enter drain or water courses.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapors, spray, mist, gas. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedure:** Eliminate ignition sources first, then ventilate the area. Evacuate unnecessary personnel, isolate, and ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### 6.2 Environmental precautions

Prevent entry into sewers and public waters. Avoid release to the environment.

### 6.3 Methods and materials for containment and cleaning up

**For Containment:** Ventilate the area. Contain any spills with dikes or absorbents to prevent further migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Eliminate all ignition sources. Ventilate area. Stop the ignition source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering. Take up liquid spill into absorbent material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

**Waste Disposal:** Dispose of in accordance with local, regional, national, and international regulations. Containers may be hazardous when empty. Do not flame cut, braze, or weld. Product should be fully characterized prior to disposal (40 CFR 261).

### Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

**Additional Hazards When Processed:** Do not pressurize, cut, or weld containers. Ruptured cylinders may rocket. Pressurized container: May burst if heated. Do not pierce or burn, even after use.

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Do not breathe gas, mist, spray, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not spray on open flame or other ignition source.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

**Other Precautions:** Keep out of reach of children. Follow label instructions. Vapors may collect in low lying areas.

## Safety Data Sheet

### 7.2 Conditions for safe storage, including any incompatibilities

**Technical Measures:** Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

**Storage Conditions:** Store in a dry, cool place. Keep only in the original container in a cool, well-ventilated place away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

**Incompatible Materials:** Strong acids.

**Storage Temperature:** <50°C/122°F.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 1. 2-Butoxyethanol (CAS: 111-76-2 EC: 203-905-0)

PEL-C (Inhalation): 20 ppm, 97 mg/m<sup>3</sup>

TLV® (Inhalation): 20 ppm; USA (ACGIH)

TWA (Inhalation): 20 ppm; USA (ACGIH)

PEL-C (Inhalation): 20 ppm (Cal/OSHA)

REL-C (Inhalation): 5 ppm (NIOSH)

TWA (Inhalation): 5 ppm, 24 mg/m<sup>3</sup> (NIOSH)

PEL-C (Inhalation): 50 ppm (US/OSHA)

PEL-C (Inhalation): 240 mg/m<sup>3</sup> (US/OSHA)

TWA (Inhalation): 50 ppm, 240 mg/m<sup>3</sup> (US/OSHA)

### 8.2 Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment. Proper grounding procedures to avoid static electricity should be followed. Use only outdoors or in well-ventilated area. Ensure all local, regional, national, and international regulations are being observed. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Pictograms



#### Eye/face protection

Chemical safety goggles. Insufficient ventilation: wear respiratory protection. Respiratory protection of the dependent type.

#### Skin protection

Wear protective gloves and clothing.

#### Body protection

Wear suitable protective clothing. Wear protective gloves. Chemical resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

## Safety Data Sheet

### Respiratory protection

Use a NIOSH-approved Self-Containing Breathing Apparatus whenever exposure may exceed established Occupational Exposure Limits.

## SECTION 9: Physical and chemical properties

### Basic physical and chemical properties

Physical state	Liquid
Appearance	Spray aerosol
Color	Colorless
Odor	Bland odor
Odor threshold	N/D
Melting point/freezing point	N/D
Boiling point or initial boiling point and boiling range	N/D
Flammability	Not considered to be a flammable or an extremely flammable aerosol by OSHA (49 CFR 1910.1200)
Lower and upper explosion limit/flammability limit	N/D
Flash point	N/D
Auto-ignition temperature	N/D
Decomposition temperature	N/D
pH	10-11
Kinematic viscosity	N/D
Solubility	Completely soluble in water
Partition coefficient n-octanol/water (log value)	N/D
Vapor pressure	N/D
Evaporation rate	N/D
Density and/or relative density	1.00-1.10 at 77°F (25°C)
Relative vapor density	N/D
Particle characteristics	N/A

### Supplemental information regarding physical hazard classes

N/A

### Further safety characteristics (supplemental)

N/D

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Chemically active metals and strong acids.

### 10.2 Chemical stability

Stable under normal conditions of use.

### 10.3 Possibility of hazardous reactions

None known.

### 10.4 Conditions to avoid

Chlorine-liberating material. Do not mix with bases, ammonia, or other cleaning compounds.

### 10.5 Incompatible materials

Strong acids.

## Safety Data Sheet

### 10.6 Hazardous decomposition products

Oxide(s) of carbon, sodium and silicon.

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

The ATE (gas inhalation) of the mixture is: 450000 ppmV

#### 2-Butoxyethanol

LD50 Oral - Rat - 880 mg/kg

LD50 Skin - Rabbit - 1,060 mg/kg

LD50 Intraperitoneal - Rat - 220 mg/kg

LD50 Intravenous - Rat - 307 mg/kg

LD50 Oral - Rat - 470 mg/kg

LC50 Inhalation - Rat - 450 ppm

#### Skin corrosion/irritation

Causes irritation, redness, burning.

#### Serious eye damage/irritation

May cause burns, stinging, redness, swelling, and may cause corneal damage, blindness. Burning may not be immediately painful or visible.

#### Respiratory or skin sensitization

May cause irritation (possible severe).

#### Germ cell mutagenicity

Not classified.

#### Carcinogenicity

Not classified.

#### Reproductive toxicity

Not classified.

#### Specific target organ toxicity (STOT) - single exposure

Not classified.

#### Specific target organ toxicity (STOT) - repeated exposure

Dermatitis may occur due to long-term irritation. Upper respiratory damage, chemical burns, and pulmonary edema. Potential loss of sight.

#### Aspiration hazard

The ATE (gas inhalation) of the mixture is: 450000 ppmV.

### Additional information

#### Acute Health Hazards

**Symptoms/Injuries:** Harmful if inhaled. Causes serious eye and skin irritation.

**Symptoms/Injuries After Skin Contact:** Contact causes severe irritation with burns. Dermatitis may occur due to long-term irritation.

**Symptoms/Injuries After Eye Contact:** Contact causes severe irritation with redness and swelling of conjunctiva. Contact with gas/liquid escaping the container can cause permanent eye damage.

## Safety Data Sheet

**Chronic Health Hazards:** Skin disorders, drying and irritation of the skin.

**Medical Condition Aggravated:** Pre-existing disorders of the skin and eyes will be aggravated by over-exposure.

---

### SECTION 12: Ecological information

#### Toxicity

2-Butoxyethanol

LD50 Oral - Rat - 880 mg/kg

LD50 Skin - Rabbit - 1,060 mg/kg

LD50 Intraperitoneal - Rat - 220 mg/kg

LD50 Intravenous - Rat - 307 mg/kg

LD50 Oral - Rat - 470 mg/kg

LC50 Inhalation - Rat - 450 ppm

#### Persistence and degradability

Component or components of this product are not biodegradable.

#### Bioaccumulative potential

This product is not expected to bioaccumulate.

#### Mobility in soil

This product is mobile in soil.

---

### SECTION 13: Disposal considerations

#### Disposal methods

##### Product disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations. Do not pierce or burn, even after use.

##### Waste treatment

RCRA Status: Product should be fully characterized prior to disposal (40 CFR 261).

##### Sewage disposal

Avoid release into the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

##### Other disposal recommendations

Container may remain hazardous when empty. Continue to observe all precautions. Do not puncture or incinerate container. Product should be fully characterized prior to disposal.

---

### SECTION 14: Transport information

#### DOT (US)

UN Number: UN1950

Class: 2.2

Packing Group: N/A

Proper Shipping Name: Aerosols, non-flammable, (each not exceeding 1 L capacity)

Reportable quantity (RQ): N/A

Marine pollutant: N/A

Poison inhalation hazard: N/A



## Safety Data Sheet

### IMDG

UN Number: UN1950

Class: 2.2

Packing Group: N/A

EMS Number: N/A

Proper Shipping Name: Aerosols, non-flammable, (each not exceeding 1 L capacity)

### IATA

UN Number: UN1950

Class: 2.2

Packing Group: N/A

Proper Shipping Name: Aerosols, non-flammable, (each not exceeding 1 L capacity)

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### Massachusetts Right To Know Components

Chemical Name: Sodium phosphate, tribasic

CAS No. 7758-29-4

Chemical Name: Ethylene glycol monobutyl ether

CAS No. 111-76-2

#### New Jersey Right To Know Components

Chemical Name: Sodium phosphate, tribasic

CAS No. 7758-29-4

Chemical Name: Ethylene glycol monobutyl ether

CAS No. 111-76-2

#### Pennsylvania Right To Know Components

Chemical Name: Sodium phosphate, tribasic

CAS No. 7758-29-4

Chemical Name: Ethylene glycol monobutyl ether

CAS No. 111-76-2

#### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard, Sudden Release of Pressure Hazard

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313: Ethylene glycol monobutyl ether

CAS No. 111-76-2

# Safety Data Sheet

## Toxic Substances Control Act (TSCA) Inventory

All chemicals are listed or exempt.

---

### SECTION 16: Other information

N/A = Not applicable; N/D = Not determined

#### 16.1 Further information/disclaimer

To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

#### 16.2 Preparation information

Prepared by: Jessica Wilson

Date prepared: 11-17-2025