VAPCO PRODUCTS, INC.

Safety Data Sheet
Stainless Steel Polish and Cleaner Aerosol

SECTION 1: Identification

1.1 GHS Product identifier

Product name	Stainless Steel Polish and Cleaner Aerosol
Product number	SSPA-1
Brand	Vapco

1.3 Recommended use of the chemical and restrictions on use

Stainless steel polish & cleaner

1.4 Supplier's details

Name	Vapco Products, Inc.
Address	401 Marshall Road Valley Park, Missouri 63088 United States
Telephone	(636) 923-2121
Fax	(636) 923-3002
email	info@VapcoProducts.com

1.5 Emergency phone number

(800) 255-3924

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200, 2024)

- Eye damage/irritation, Cat. 2A
- Flammable aerosols, Cat. 2
- Gases under pressure, compressed gas

2.2 GHS label elements, including precautionary statements

Pictograms

Signal word	**Warning**

Hazard statement(s)

H223	Flammable aerosol
H280	Contains gas under pressure; may explode if heated
H319	Causes serious eye irritation

Precautionary statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Pressurized container: do not pierce or burn, even after use.
P264	Wash hands thoroughly after handling.
P280	Wear eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

1. Alkanes, C11-12-iso-

Concentration	50 - 70 % (weight)
CAS no.	246538-76-1

2. Isopropyl alcohol

Concentration	1 - 10 % (weight)
EC no.	200-661-7
CAS no.	67-63-0
Index no.	603-117-00-0

3. Hydrocarbons, C6-rich, hydrotreated light naphtha distillates, solvent-refined, if it contains > 0.1% w/w benzene

Concentration	1 - 5 % (weight)
EC no.	309-871-4
CAS no.	101316-67-0
Index no.	649-288-00-5

4. Siloxanes and Silicones, di-Me

Concentration	0.1 - 1 % (weight)
CAS no.	63148-62-9

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
If inhaled	First, take proper precautions to ensure your own safety before attempting rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in a position comfortable for breathing. Get medical advice/attention.
In case of skin contact	Immediately drench affected area with water for at least 15 minutes. Remove contaminated clothing immediately. Obtain medical attention if irritation develops or persists.
In case of eye contact	Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
If swallowed	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2 Most important symptoms/effects, acute and delayed
No data available.

4.3 Indication of immediate medical attention and special treatment needed, if necessary
If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media
Dry chemical, foam, or carbon dioxide (CO_2).

5.2 Specific hazards arising from the chemical
Explosion Hazard: Container may explode in heat of fire. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. Vapors are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapors.
Incompatible Materials: Strong oxidizers.

5.3 Special protective actions for fire-fighters
Precautionary Fire Measures: Exercise caution when fighting any chemical fire.
Firefighting Instructions: Use dry chemical, foam, or carbon dioxide (CO_2). Do not breathe fumes from fire or vapors from decomposition. Do NOT fight fire when fire reaches containers. Evacuate area. Fight fire remotely due to the risk of explosion. Shut off all sources of ignition. Use water spray or fog for cooling exposed containers.
Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. Wear NIOSH-approved Self-Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.
Hazardous Combustion Products: Carbon oxide(s).

Further information
Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapors, spray, mist, gas. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
For Non-Emergency Personnel
Protective Equipment: Use appropriate personal protective equipment (PPE).
Emergency Procedures: Evacuate unnecessary personnel. Stop leak if safe to do so.
For Emergency Personnel
Protective Equipment: Equip cleanup crew with proper protection.
Emergency Procedure: Eliminate ignition sources first, then ventilate the area. Evacuate unnecessary personnel, isolate, and ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2 Environmental precautions
Prevent entry to sewers and public waters. Avoid release to the environment.

6.3 Methods and materials for containment and cleaning up
For Containment: Ventilate the area. Contain any spills with dikes or absorbents to prevent further migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.
Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Eliminate all ignition sources. Ventilate area. Stop the ignition source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering. Take up liquid spill into absorbent material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.
Waste Disposal: Dispose of in accordance with local, regional, national, and international regulations. Containers may be hazardous when empty. Do not flame cut, braze, or weld. Product should be fully characterized prior to disposal (40 CFR 261).

Reference to other sections
See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Additional Hazards When Processed: Do not pressurize, cut, or weld containers. Ruptured cylinders may rocket. Pressurized container: May burst if heated. Do not pierce or burn, even after use.
Precautions for Safe Handling: Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Do not breathe gas, mist, spray, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not spray on open flame or other ignition source.
Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.
Other Precautions: Keep out of reach of children. Follow label instructions. Vapors may collect in low lying areas.

7.2 Conditions for safe storage, including any incompatibilities
Technical Measures: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Store in a dry, cool place. Keep only in the original container in a cool, well-ventilated place away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.
Incompatible Materials: Strong oxidizers.
Storage Temperature: <50°C/122°F

Specific end use(s)
Stainless steel cleaner & polish

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Isopropyl alcohol (CAS: 67-63-0)
TWA (Inhalation): 400 ppm; 983 mg/m3; AU (AU/SWA)

STEL (Inhalation): 500 ppm; 1230 mg/m3; AU (AU/SWA)

PEL (Inhalation): 400 ppm; US (US/OSHA)
OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 980 mg/m3; US (US/OSHA)
OSHA Annotated Table Z-1, www.osha.gov

PEL (Inhalation): 400 ppm, (ST) 500 ppm; US (Cal/OSHA)
OSHA Annotated Table Z-1, www.osha.gov

REL (Inhalation): 400 ppm, (ST) 500 ppm; US (NIOSH)
OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment. Proper grounding procedures to avoid static electricity should be followed. Use only outdoors or in well-ventilated area. Ensure all local, regional, national, and international regulations are being observed. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection
Chemical safety goggles. Insufficient ventilation: wear respiratory protection. Respiratory protection of the dependent type.

Skin protection
Wear protective gloves and clothing.

Body protection
Wear suitable protective clothing. Wear protective gloves. Chemical resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

Respiratory protection
Use a NIOSH-approved Self-Containing Breathing Apparatus whenever exposure may exceed established Occupational Exposure Limits.

SECTION 9: Physical and chemical properties

Basic physical and chemical properties

Physical state	Liquid
Appearance	Aerosol spray
Color	Colorless
Odor	Vanilla
Odor threshold	N/D
Melting point/freezing point	N/D
Boiling point or initial boiling point and boiling range	N/D
Flammability	Considered a flammable aerosol by OSHA (29 CFR 1910.1200)
Lower and upper explosion limit/flammability limit	N/D
Flash point	N/D
Auto-ignition temperature	N/D
Decomposition temperature	N/D
pH	N/A
Kinematic viscosity	N/D
Solubility	Insoluble in water
Partition coefficient n-octanol/water (log value)	N/D
Vapor pressure	N/D
Evaporation rate	N/D
Density and/or relative density	0.93-1.03
Relative vapor density	N/D

SECTION 10: Stability and reactivity

10.1 Reactivity
No data available.

10.2 Chemical stability
Product is stable under normal conditions of use.

10.3 Possibility of hazardous reactions
None known.

10.4 Conditions to avoid
Avoid excessive heat, sparks, open flames, and ignition sources.

10.5 Incompatible materials
Strong oxidizing agents.

10.6 Hazardous decomposition products
Carbon oxide(s).

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Isopropanol
LD50 Oral - Rat - 5045 mg/kg
LC50 Inhalation - Rat - 16000 ppm - 8 hrs
LD50 Skin - Rabbit - 12800 mg/kg

Skin corrosion/irritation
No data available.

Serious eye damage/irritation
May cause mild eye irritation.

Respiratory or skin sensitization
No data available.

Germ cell mutagenicity
No data available.

Carcinogenicity
No data available.

Reproductive toxicity
No data available.

Specific target organ toxicity (STOT) - single exposure
No data available.

Specific target organ toxicity (STOT) - repeated exposure
No data available.

Aspiration hazard
No data available.

SECTION 12: Ecological information

Toxicity
Isopropanol
LC50 - Pimephales promelas (fathead minnow) - 9640 mg/l - 96 hrs
EC50 - Daphnia magna (water flea) - 5102-6851 mg/l - 24 hrs
EC50 - Desmodesmus subspicatus (chodat) - >2000 mg/l - 72 hrs
EC50 - Algae - >1000 mg/l - 24 hrs

Persistence and degradability
No data available.

Bioaccumulative potential
No data available.

Mobility in soil
Product is mobile in soil.

SECTION 13: Disposal considerations

Disposal methods

Product disposal
Dispose of contents/container in accordance with local, regional, national, and international regulations. Do not pierce or burn, even after use.

Sewage disposal
Avoid release into the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Other disposal recommendations
Container may remain hazardous when empty. Continue to observe all precautions. Do not puncture or incinerate container. Product should be fully characterized prior to disposal.

SECTION 14: Transport information

DOT (US)
UN Number: UN1950
Class: 2.1
Packing Group: N/A
Proper Shipping Name: Aerosols, flammable, (each not exceeding 1 L capacity)

IMDG
UN Number: UN1950
Class: 2.1
Packing Group: N/A
EMS Number: N/A
Proper Shipping Name: Aerosols, flammable, (each not exceeding 1 L capacity)

IATA
UN Number: UN1950
Class: 2.1
Packing Group: N/A
Proper Shipping Name: Aerosols, flammable, (each not exceeding 1 L capacity)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Massachusetts Right To Know Components (105 CMR 670)
Chemical name: 2-PROPANOL
CAS number: 67-63-0

Massachusetts Toxic Use Reduction Act (TURA) list
Chemical name: Isopropyl alcohol (mfg-strong acid process)
CAS number: 67-63-0

New Jersey Right To Know Components
Common name: ISOPROPYL ALCOHOL
CAS number: 67-63-0

Pennsylvania Right To Know Components
Chemical name: 2-PROPANOL
CAS number: 67-63-0

US EPA TSCA public inventory
Chemical name: Isopropyl alcohol
CAS number: 67-63-0

Chemical name: Siloxanes and Silicones, di-Me
CAS number: 63148-62-9

SECTION 16: Other information

N/A = Not applicable; N/D = Not determined

16.1 Further information/disclaimer
To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

16.2 Preparation information
Prepared by: Jessica Wilson
Date prepared: 3-19-2025