



## VAPCO PRODUCTS, INC.

### Safety Data Sheet Xpress Inject UV Dye

---

#### SECTION 1: Identification

##### 1.1 GHS Product identifier

Product name	Xpress Inject UV Dye
Product number Brand	XPS-5T-DYE, XPS-7.5T-DYE, XPS-15T-DYE, XPS-30T-DYE Vapco

##### 1.3 Recommended use of the chemical and restrictions on use A/C system leak detector

##### 1.4 Supplier's details

Name	Vapco Products, Inc.
Address	401 Marshall Road Valley Park, Missouri 63088 United States
Telephone	(636) 923-2121
Fax	(636) 923-3002
email	info@VapcoProducts.com

##### 1.5 Emergency phone number

(800) 255-3924

---

#### SECTION 2: Hazard identification

##### 2.1 Classification of the substance or mixture

GHS classification in accordance with: OSHA (29 CFR 1910.1200, 2012)

Not a hazardous substance or mixture.

##### 2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

# Safety Data Sheet

## 2.3 Other hazards which do not result in classification

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

##### 1. Ester oil\*

Concentration 99.95 % (weight), Proprietary\*  
CAS no. Proprietary

##### 2. Benzenesulfonic acid, 3-[[4-(phenylamino)phenyl]azo]-, monosodium salt

Concentration 0.05 % (weight)  
EC no. 209-608-2  
CAS no. 587-98-4

#### Trade secret statement (OSHA 1910.1200(i))

\*The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard (29 CFR 1910.1200).

---

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

General advice	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
If inhaled	First, take proper precautions to ensure your own safety before attempting rescue (e.g. wear appropriate respiratory protective equipment, use the buddy system), then remove the exposed person to fresh air. Keep at rest in a position comfortable for breathing. Get medical advice/attention.
In case of skin contact	Immediately drench affected area with water for at least 15 minutes. Remove contaminated clothing immediately. Obtain medical attention if irritation develops or persists.
In case of eye contact	Immediately rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
If swallowed	Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

### 4.2 Most important symptoms/effects, acute and delayed

**Symptoms/Injuries:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Symptoms/Injuries After Inhalation:** May cause respiratory irritation.

**Symptoms/Injuries After Skin Contact:** May cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause eye irritation.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

# Safety Data Sheet

## 4.3 Indication of immediate medical attention and special treatment needed, if necessary

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

---

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

Use appropriate media for surrounding fire.

### 5.2 Specific hazards arising from the chemical

**Fire Hazard:** Not considered flammable but may burn at high temperatures.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3 Special protective actions for fire-fighters

**Precautionary Fire Measures:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use dry chemical, foam, or carbon dioxide (CO<sub>2</sub>). Do not breathe fumes from fire or vapors from decomposition. Do NOT fight fire when fire reaches containers. Evacuate area. Fight fire remotely due to the risk of explosion. Shut off all sources of ignition. Use water spray or fog for cooling exposed containers.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. Wear NIOSH-approved Self-Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires.

**Hazardous Combustion Products:** Material does not decompose at ambient temperatures.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapors, spray, mist, gas. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

**For Emergency Personnel**

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedure:** Eliminate ignition sources first, then ventilate the area. Evacuate unnecessary personnel, isolate, and ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

**For Non-Emergency Personnel**

**Protective Equipment:** Use appropriate personal protective equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2 Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

### 6.3 Methods and materials for containment and cleaning up

**For Containment:** Ventilate the area. Contain any spills with dikes or absorbents to prevent further migration and entry into sewers or streams. As an immediate precautionary measure, isolate spill or leak area in all directions.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Eliminate all ignition sources. Ventilate area. Stop the ignition source of the release, if safe to do so. Consider the use of water spray to disperse vapors. Isolate the area until gas has dispersed. Ventilate and gas test area before entering. Take up liquid spill into absorbent material. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

## Safety Data Sheet

**Waste Disposal:** Dispose of in accordance with local, regional, national, and international regulations. Containers may be hazardous when empty. Do not flame cut, braze, or weld. Product should be fully characterized prior to disposal (40 CFR 261).

### Reference to other sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

**Precautions for Safe Handling:** Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Do not breathe gas, mist, spray, vapors. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not spray on open flame or other ignition source.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures.

**Other Precautions:** Keep out of reach of children. Follow label instructions. Vapors may collect in low lying areas.

### 7.2 Conditions for safe storage, including any incompatibilities

**Technical Measures:** Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

**Storage Conditions:** Store in a dry, cool place. Keep only in the original container in a cool, well-ventilated place away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

**Incompatible Materials:** Strong acids, strong bases, strong oxidizers.

### Specific end use(s)

A/C system leak detector

---

## SECTION 8: Exposure controls/personal protection

### 8.2 Appropriate engineering controls

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Use explosion-proof equipment. Proper grounding procedures to avoid static electricity should be followed. Use only outdoors or in well-ventilated area. Ensure all local, regional, national, and international regulations are being observed. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

### 8.3 Individual protection measures, such as personal protective equipment (PPE)

#### Eye/face protection

Chemical safety goggles. Insufficient ventilation: wear respiratory protection. Respiratory protection of the dependent type.

#### Skin protection

Wear protective gloves and clothing.

#### Body protection

Wear suitable protective clothing. Wear protective gloves. Chemical resistant materials and fabrics. Wear fire/flame resistant/retardant clothing.

# Safety Data Sheet

## Respiratory protection

Use a NIOSH-approved Self-Containing Breathing Apparatus whenever exposure may exceed established Occupational Exposure Limits.

---

## SECTION 9: Physical and chemical properties

### Basic physical and chemical properties

Physical state	Liquid
Appearance	Liquid
Odor	N/D
Odor threshold	N/D
Melting point/freezing point	N/D
Boiling point or initial boiling point and boiling range	>200°C (392°F) (Ester Oil)
Flammability	N/D
Lower and upper explosion limit/flammability limit	N/D
Flash point	>230°C (446°F) (Ester Oil)
Auto-ignition temperature	N/D
Decomposition temperature	N/D
pH	N/A
Kinematic viscosity	N/D
Solubility	N/D
Partition coefficient n-octanol/water (log value)	N/D
Vapor pressure	N/D
Evaporation rate	N/D
Density and/or relative density	0.96-0.99 at 20°C (Ester Oil)
Relative vapor density	N/D

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Hazardous reactions will not occur under normal conditions of storage and use.

### 10.2 Chemical stability

Stable under recommended handling and storage conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

Direct sunlight, extremely high or low temperatures, ignition sources, incompatible materials.

### 10.5 Incompatible materials

Strong acids, strong bases, strong oxidizers.

### 10.6 Hazardous decomposition products

Material does not decompose at ambient temperatures.

# Safety Data Sheet

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

Benzenesulfonic acid, 3-[[4-(phenylamino)phenyl]azo]-, monosodium salt  
LD50 Oral - Rat - 5000 mg/kg

#### Ester Oil

LD50 Oral - Rat - >2000 mg/kg  
LD50 Dermal - Rabbit - >2000 mg/kg

#### Skin corrosion/irritation

Not classified.

#### Serious eye damage/irritation

Not classified.

#### Respiratory or skin sensitization

Not classified.

#### Germ cell mutagenicity

Not classified.

#### Carcinogenicity

Not classified.

#### Reproductive toxicity

Not classified.

#### Specific target organ toxicity (STOT) - single exposure

Not classified.

#### Specific target organ toxicity (STOT) - repeated exposure

Not classified.

#### Aspiration hazard

Not classified.

#### Additional information

**Symptoms/Injuries:** Not expected to present a significant hazard under anticipated conditions of normal use.

**Symptoms/Injuries After Inhalation:** May cause respiratory irritation.

**Symptoms/Injuries After Skin Contact:** May cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause eye irritation.

**Symptoms/Injuries After Ingestion:** Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** None expected under normal conditions of use.

## SECTION 12: Ecological information

#### Toxicity

No additional information available.

## Safety Data Sheet

### Persistence and degradability

No additional information available.

### Bioaccumulative potential

No additional information available.

### Mobility in soil

No additional information available.

### Other adverse effects

Avoid release to the environment.

---

## SECTION 13: Disposal considerations

### Disposal methods

#### Product disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations. Do not pierce or burn, even after use.

#### Sewage disposal

Avoid release into the environment.

#### Other disposal recommendations

Container may remain hazardous when empty. Continue to observe all precautions. Do not puncture or incinerate container. Product should be fully characterized prior to disposal.

---

## SECTION 14: Transport information

### DOT (US)

Not dangerous goods

### IMDG

Not dangerous goods

### IATA

Not dangerous goods

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### US EPA TSCA public inventory

Chemical name: Benzenesulfonic acid, 3-[[4-(phenylamino)phenyl]azo]-, monosodium salt  
CAS number: 587-98-4

---

## SECTION 16: Other information

N/A = Not applicable; N/D = Not determined

## **Safety Data Sheet**

### **16.1 Further information/disclaimer**

To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

### **16.2 Preparation information**

Prepared by: Jessica Wilson  
Date prepared: 2-24-2025